Production Information Sheet Version No.: A0



Storage Condition and Shelf Life

The table below indicates the storage conditions and shelf life of GeneWell's catalogue products. Please note that the shelf life of products manufactured at different times may vary due to ongoing developments and improvements in our production technologies. For further details, please refer to the certificate of analysis (COA) of specific batches.

| Catalogue | Product Format | Storage Condition | Shelf Life* |
|-------------------------------------|----------------------------|-------------------|-------------|
| Solid Tumour CDx | gDNA | 2~8°C | 36 months |
| | FFPE DNA | 2~8°C | 48 months |
| | FFPE DNA/RNA | 2~8°C | 36 months |
| TMB | gDNA | 2~8°C | 36 months |
| MSI | gDNA | 2~8°C | 36 months |
| HRD | gDNA | 2~8°C | 36 months |
| Myeloid | gDNA | 2~8°C | 36 months |
| Liquid Biopsy | ctDNA | 2~8°C | 36 months |
| Inherited diseases | gDNA | 2~8°C | 36 months |
| HPV | gDNA | 2~8°C | 36 months |
| | Cell suspensions | -15~-25℃ | 24 months |
| MonkeyPox | Pseudo-virus Solution | -15~-25℃ | 24 months |
| Infectious diseases | Pseudo-virus Solution | -15~-25℃ | 24 months |
| | Inactivated microorganisms | < -70°C | 12 months |
| NIPT/NIPT Plus | cfDNA in plasma | -15~-25℃ | 18 months |
| Sequencer Performance Evaluation | gDNA | -15~-25℃ | 36 months |
| Pharmacogenomics (PGx) | gDNA | 2~8°C | 36 months |

^{*}The expiration date of products is calculated using the date of manufacture (DoM) plus the shelf life period. Please refer to the label and Certificate of Analysis (CoA) of the DoM.

Website: http://us.gene-well.com.